



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T


7

N

R

I

W



Township N: VII North of the Base line, Range N: I West of the 2nd Meridian. Surveyed by Arthur Henshaw.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c	Between Sections	Quality &c	Between Sections	Quality &c
35-36	Land rolling. Timber Oak & Hickory	33-34	Land rolling. Timber Oak. Ash & Hickory	20-21	Land rolling. Timber Sugar. Oak. Birch
25-26	ditto	27-28	ditto	19-20	ditto
25-26	ditto	27-28	Rich level soil. Timber Same	17-18	ditto
20-25	ditto	22-27	ditto	15-17	Land rolling. Timber Oak Sugar. Ash. Birch
23-24	Land level. Timber Same	21-22	ditto	15-17	ditto
15-24	ditto	15-22	ditto	7-8	ditto
12-14	Land flat. Timber. Birch. Oak & Walnut	15-16	ditto	5-6	ditto
12-13	ditto	10-15	ditto	5-6	ditto
11-12	Land hilly. Timber Oak. Hickory & Birch	9-10	ditto	6-7	ditto
1-12	ditto. Timber Oak. Ash & Hickory	3-10	ditto	17-18	ditto
1-2	ditto	3-4	ditto	18-19	ditto
24-25	Land flat. Timber Birch. Gum. Oak & Hickory	32-33	Rolling Rich soil. Timber Sugar. Oak. Birch	19-20	ditto
26-27	ditto	28-29	ditto	20-21	ditto
26-27	ditto	20-21	ditto	22-23	ditto
22-23	ditto	16-21	ditto	21-22	ditto
22-23	ditto	9-16	ditto		
18-19	ditto	8-9	ditto		
18-19	ditto	4-9	ditto		
1-2	ditto	5-9	ditto		
1-2	ditto	31-32	Land rolling. Timber Same		
1-2	ditto	29-30	ditto		

South Boundary

West On the South Boundary of sec. 36. T. 7. N. R. 1 W.

40.00 Set a 7/8" supost from which
Beck 6 in dia. bears N 18 1/2 W 12 1/2 the dist. to

No. 5 " " " S 45 W 6 " "

80.00 Set a post for the cor of sec. 35 & 36 from which

Beck 16 in dia. bears S 34 E 6 1/2 the dist. to

No. 12 " " " N 10 E 26 " "

Secs. hilly; Timber Oak.

West On the South Boundary of sec. 35. T. 7. N. R. 1 W.

19.25 To a Poplar 30 in dia. in the line.

40.00 Set a 7/8" supost from which

Mulberry 12 in dia. bears N 65 W 36 the dist. to

Blue Ash 10 " " " S 66 E 10 " "

80.00 Set a post for the cor of sec. 34 & 35 from which

Beck 15 in dia. bears N 53 E 8 the dist. to

No. 9 " " " S 75 W 13 " "

Hilly Oak Secs. March 31st 1811.

West On the South Boundary of sec. 34. T. 7. N. R. 1 W.

30.00 To a Brook 6 links wide. corner

40.00 Set a 7/8" supost from which

Beck 18 in dia. bears S 65 E 8 the dist. to

No. 12 " " " N 83 W 20 " "

77.50 To a creek 250 links wide. corner

80.00 Set a post for the cor of sec. 33 & 34 from which

Beck 30 in dia. bears N 82 W 40 the dist. to

Elm 10 " " " N 77 E 27 " "

Post on the Bank of creek. April 1st 1811. Secs. hilly.

West On the South Boundary of sec. 33. T. 7. N. R. 1 W.

26.00 To a Brook 40 links wide. corner

T. N. of N. R. No. 174 2nd Mer. Ind.

Nick 16 in dia: here South 21 lbs dist; to Corn a
very high hill

80.00 Set a post further cor of sec 13 & 14 from which,
W Oak 15 in dia: here N 65 E 4 lbs dist; to,
Beck 7 " " " N 55 W 5 " "
Land here Timber Beck, Sugar, &c.

North On the East Boundary of sec. 13. T. 7 N. R. 1 W.
6.00 To a Brook 30 lbs mid, corner S. W.
38.00 " " 20. 30 " " " W
40.00 A Nick 14 in dia: stands for the cor of sec.
45.00 Came to a Creek running E. W. kept up in it
15 lbs left the West.
80.00 A Beck 24 in dia: stands for the cor of sec 12 & 13.
Hilly Beck land.

North On the East Boundary of sec. 12. T. 7 N. R. 1 W.
1.00 To a Brook 250 lbs mid, corner W.
40.00 Set a post suppost from which,
Beck 10 in dia: here S 35 W 13 lbs dist; to
W Oak 36 " " " N 16 W 20 " "
66.50 To a W Oak 33 in dia: in the line.
80.00 Set a post further cor of sec 1 & 2 from which,
Sugar 16 in dia: here N 9 E 16 lbs dist; to,
Do 15 " " " S 65 W 21 " "
Land middling low high hills. Timber Oak
Beck &c.

North On the East Boundary of sec. 1. T. 7 N. R. 1 W.
37.75 To a W Oak 36 in dia: in the line.
40.00 Set a post suppost from which,
W Oak 14 in dia: here N 45 E 19 lbs dist; to,
Nick 6 " " " N 45 W 24 " "

T. N. of N. R. No. 174 2nd Mer. Ind.

75.00 To a Brook 3 lbs mid, corner E.
80.00 Set a post further cor of T. 7 & 8. N. R. 1 E & 1 W
from which, W Oak 24 in dia: here N 15 E 25 lbs dist
under a Beck 10 " " " S 39 W 3 " "
Hilly Oak land.

North Boundary. Apr. 2^d 1811 B. 179
West On the South Boundary of sec. 36. T. 8 N. R. 1 W.
40.00 Set a post suppost from which,
W Oak 10 in dia: here S 83 W 30 lbs dist; to,
Do 18 " " " " N 83 E 19 " "
42.00 To a Brook 8 lbs mid, corner S. E.
80.00 Set a post further cor of sec 35 & 36 from which,
Nick 3 in dia: here N 62 E 3 lbs dist; to,
W Oak 20 " " " " N 32 W 18 " "
Poor Hilly Oak land.

West On the South Boundary of sec. 35. T. 8 N. R. 1 W.
39.00 To a Brook 25 lbs mid, corner S.
40.00 Set a post suppost from which,
Buttment 6 in dia: here N 50 W 10 lbs dist; to,
W. Beck 3 " " " S 59 E 14 " "
80.00 Set a post further cor of sec 34 & 35 from which,
Beck 5 in dia: here N 72 W 11 lbs dist; to,
Nick 11 " " " " N 4 E 21 " "
Land middling good land; Timber Beck, Sugar

West On the South Boundary of sec. 34. T. 8 N. R. 1 W.
13.50 To a Brook 8 lbs mid, corner N. E.
40.00 Set a post suppost from which,
Sugar 14 in dia: here N 31 E 10 lbs dist; to,
Beck 4 " " " " S 45 W 25 " "
80.00 Set a post further cor of sec 33 & 34 from which,

60.75 To a Sugar 24 in dia. in the m. w.
 78.50 To a Brook 150 yds m. w. corner. S.E.
 80.00 Set apart in the Bank of a Brook corner of the
 13th 24th from which,
 Sugar. 19 in dia. beam. N 29 E 7th dist. to
 Elm. 18 " " " N 63 W 31 " "
 Good land Timber Brook Sugar & Ash

North On the East Boundary of sec. 13 T. 17 N. R. 2 W.
 40.00 Set apart from which,
 Sugar. 12 in dia. beam. N 55 E 10th dist. to
 No. 16 " " " S 55 W 15 " "
 55.00 To a Brook 150 yds m. w. corner S.W.
 66.00 To a Sugar. 19 in dia. in the m. w.
 73.00 " " Brook corner S.E.
 80.00 Set apart for the corner 12 & 13 from which,
 Brook 36 in dia. beam. N 55 E 17th dist. to
 No. 16 " " " N 60 W 24 " "
 Rich land good Mill Seab. & m. timbered

North On the East Boundary of sec. 12 T. 17 N. R. 2 W.
 15.00 To a Brook corner S.W.
 22.00 " " No. " S.E.
 34.00 " " Brook 20 yds m. w. corner S.W.
 40.00 Set apart from which,
 Brook 36 in dia. beam. N 15 E 14th dist. to
 No. 24 " " " S 5 E 31 " "
 47.00 To a Brook corner S.W.
 77.00 " " No. " S.E.
 80.00 Set apart for the corner 18 & 19 from which,
 Brook 16 in dia. beam. N 71 W 14th dist. to
 Sugar. 16 " " " S 83 E 19 " "
 Good land Timber Sugar Walnut Elm, &c.

North On the East Boundary of sec. 1 T. 17 N. R. 2 W.
 15.00 To a Brook corner S.W.
 30.00 To a Walnut 18 in dia. in the m. w.
 35.00 To a ledge of Rocks
 40.00 Set apart from which a
 Brook 18 in dia. beam. S 82 E 13th dist. to
 Elm. 18 " " " N 107 W 25 " "
 60.00 To a Spring corner E.
 77.00 Set 150 yds West of the post set by James Holmes
 moved it to the intersection for the cor. of S. 178
 N. R. 1 & 2 W. & set apart from which,
 Brook 12 in dia. beam. N 73 W 12th dist. to
 No. Oak 30 " " " N 40 E 23 " "
 Good land; Timber Sugar, Brook, &c.
 April 1881.
 Surveyed by
 Alexander Holmes
 Deputy Sur.

Subdivisions

North Return Sec. 35 & 36 T. 17 N. R. 1 W.
 40.00 Set apart from which,
 Brook 18 in dia. beam. S 50 E 36th dist. to
 No. 10 " " " N 78 W 7 " "
 76.00 To a Brook 20 yds m. w. corner W.
 80.00 Set apart for the corner 25 & 26 of 35 & 36 from which,
 Brook 18 in dia. beam. N 30 W 28th dist. to
 No. 12 " " " S 56 E 28 " "
 Sand rolling Timber Oak, & Hick.

East On the East line between Sec. 25 & 36 T. 17 N. R. 1 W.
 23.00 To a Brook 200 yds m. w. corner S.W.
 35.00 " " No. 200 " " " N.W.

T. N. J. N. R. N. 177 2nd Mr. Ind.

40.00	Set a trap for supeast
43.50	To the above named River. 200 lbs. mds, Comas N
80.10	Intersect the N 13 line to East Boundary at the first cr. of sur. 25 & 36. Same the same.
West	On the line between Sur 25 & 36. T. J. N. R. 177.
40.05	Set the trap for supeast at the ar. dist. in the line from which, Sugar 10 in dist. from. N 47 N. 4 lbs. dist. under a No. 18 " " " N 77 E. 32 " "
80.10	To the first cr. of sur. 25, 26, 35 & 36.
North	Return Sur 25 & 36. T. J. N. R. 177
40.00	Set a trap for supeast from which, Nicks 10 in dist. from. N 57 N. 27 lbs. dist. to, Colm. 18 " " " N 47 N. 18 " "
80.00	Set a post for the cr. of sur. 23, 24, 25 & 36. From which, Beck 15 in dist. from. N 15 E. 25 lbs. dist. to, Lo. 8 " " " N 16 N. 23 " " Same the same.
East	Quakamam line between Sur 24 & 25 T. J. N. R. 177
40.00	Set a trap for supeast.
42.00	To a Brook 150 lbs. mds, Comas N.
80.00	Intersect the East Boundary 44 lbs. South of the post cr. of sur. 24 & 25. Same the same.
West	On the line between Sur 24 & 25 T. J. N. R. 177
40.00	Set the trap for supeast at the ar. dist. in the line from which, Beck 12 in dist. from. N 4 E. 11 lbs. dist. under a No. 10 " " " N 83 N. 12 " "
80.00	To the post cr. of sur. 23, 24 & 25 & 36.
North	Return Sur 24 & 25. T. J. N. R. 177

Camp?

arr. 26
22 pages

T. N. J. N. R. N. 177 2nd Mr. Ind.

40.00	Set a trap for supeast from which, Beck 8 in dist. from. N 51 E. 9 lbs. dist. to, Lo. 4 " " " N 20 N. 13 " "
80.00	Set a post for the cr. of sur. 13, 14, 23, & 24 from which, Maple 5 in dist. from. N 21 N. 23 lbs. dist. to, Lo. 8 " " " N 55 N. 39 " " Same the same.
East	Quakamam line between Sur 13 & 24 T. J. N. R. 177
40.00	Set a trap for supeast.
58.50	To a Brook 150 lbs. mds, Comas N.E.
80.12	Intersect the N 13 line to East Boundary at the first cr. of sur. 13 & 24. Same the same.
West	On the line between Sur 13 & 24 T. J. N. R. 177
40.06	Set the trap for supeast at the ar. dist. in the line from which, Beck 10 in dist. from. West. 20 lbs. dist. under a No. 15 " " " N 64 N. 20 " "
80.12	To the post cr. of sur. 13, 14, 23, & 24
North	Return Sur 13 & 24. T. J. N. R. 177
40.00	Set a trap for supeast from which, Beck 20 in dist. from. N 4 N. 23 lbs. dist. to, Lo. 12 " " " N 70 E. 20 " "
80.00	Set a post for the cr. of sur. 11, 12, 13 & 14 from which, Nicks 8 in dist. from. N 30 E. 7 lbs. dist. to, Oak. 18 " " " N 68 N. 22 " " Same flat; Timber Birch, Gum, Ash Oak, Walnut,
East	Quakamam line between Sur 13 & 23 T. J. N. R. 177
25.00	To a Brook 15 lbs. mds, Comas N.
40.00	Set a trap for supeast post.
76.00	To a Brook 200 lbs. mds, Comas N.

T. N. of N. R. No. 177 Dnd Mⁿ. Ind^d.

80.00	Intersut the East Boundary at the post on of sec 12 & 13 Sando the same.
West	Return Jul 12 th 1872 T. of N. R. 177. Time line.
40.00	Set the temp ^t 7 th support at the ar. dist on the line from which, W Oak 19 in dia ^r beam. S 5 W. 3 lbs. dist and so on. Ironwood Co. 4 " A 21 E. 29 " "
80.00	To the post on of sec 11, 12, 13 & 14
North	Return Jul 11 th 1872 T. of N. R. 177.
21.00	To a Brook 10 links m ⁿ , corner S. E.
40.00	Set a 7 th support from which, W Oak 20 in dia ^r beam. N 4 E. 23 lbs. dist; to Lo. 12 " " " S 42 W. 26 " "
73.00	To a Brook 12 links m ⁿ , corner S. E.
80.00	Set a post for the cor of sec 1, 2, 11 & 12 from which, Beck 10 in dia ^r beam. N 46 W. 13 lbs. dist; to Lo. 12 " " " A 21 E. 19 " " Sando hilly, Timber Oak, Hick, & Beech, &c.
East	On a Random line between Jul 1 & 12 T. of N. R. 177.
40.00	Set a temp ^t 7 th support.
80.38	Intersut the East Boundary 48 links North of the post cor of sec 1 & 12. Sando hilly, Part. tim ⁿ . Timber Oak & Hick.
West	On the line between Jul 1 & 12 T. of N. R. 177.
10.19	Set the temp ^t 7 th support at the ar. dist on the line from which, Dogwood 6 in dia ^r beam. N 30 W. 17 lbs. dist and so Maple 10 " " " S 7 W. 20 " "
80.38	To the post on of sec 1, 2, 11 & 12.
North	Return Jul 1 & 12 T. of N. R. 177.

T. N. of N. R. No. 177 Dnd Mⁿ. Ind^d.

40.00	Set a 7 th support from which, W Oak 20 in dia ^r beam. N 45 E. - the dist; to Lo. 20 " " " N 6 W. 9 " "
81.03	Intersut the N. Boundary at the post on of sec 35 & 36. T. of N. R. 177. Sando the same.
North	Return Jul 34 & 35 T. of N. R. 177.
32.00	To a Brook 12 links m ⁿ , corner N. W.
40.00	Set a 7 th support from which, W Walnut 10 in dia ^r beam. N 70 W. 15 lbs. dist; to Lo. 7 " " " N 42 E. 14 " "
80.00	Set a post for the cor of sec 26, 27, 34 & 35 from which, Beck 8 in dia ^r beam. N 72 E. 17 lbs. dist; to Lo. " " " N 11 W. 8 " " Sando flat, Timber Beech, Elm, Oak, & Hick.
East	On a Random line between Jul 26 & 35 T. of N. R. 177.
40.00	Set a temp ^t 7 th support.
73.00	To a Brook 200 lbs m ⁿ , corner N. W.
80.00	Intersut the N. E. line 12 links South of the post on of Jul 25, 26, 35 & 36. Sando the same.
West	On the line between Jul 26 & 35 T. of N. R. 177.
40.00	Set the temp ^t 7 th support on the line at the ar. dist from which, Beck 6 in dia ^r beam. N 56 E. 14 lbs. dist; and so Lo. 10 " " " S 20 E. 11 " "
80.00	To the post on of sec 26, 27, 34 & 35.
North	Return Jul 26 & 27 T. of N. R. 177.
40.00	Set the 7 th support in a Brook 1 1/2 lbs m ⁿ , corner N.
80.00	Set a post for the cor of sec 22, 23, 26 & 27 from which, W Oak 20 in dia ^r beam. N 21 E. 6 lbs. dist; to Beck 10 " " " S 4 W. 39 " "

I. N. of A. R. N. of W. D. M. S. S. S. S.

Sande the same.

East	On a random line between Sur 23 & 26. I. J. M. R. 1 W.
40.00	Set a trap for support.
80.00	Intersect the N. E. line 10 links South of the post on of Sur 23, 24 & 26. Sande the same.
West	On the same line between Sur 23 & 26. I. J. M. R. 1 W.
40.00	Set the trap for support at the ar. dist. on the same line from which, Reck. 5 in dist. line. N. 45 E. 11 the dist. and a Reck. 5 " " " N. 15 W. 17 " "
80.00	Set the post on of Sur 22, 23, 26 & 27.
North	Between Sur 22 & 23. I. J. M. R. 1 W.
40.00	Set a trap for support from which, Reck. 15 in dist. line. N. 77 W. 17 the dist. to, Reck. 15 " " " N. 45 W. 27 " "
80.00	Set a post for the corner of Sur 14, 15, 22 & 23 from which,
East	On a random line between Sur 14 & 23. I. J. M. R. 1 W.
40.00	Set a trap for support.
80.00	Intersect the N. E. line 20 links South of the post on of Sur 13, 14, 23 & 24 Sande the same.
West	On the same line between Sur 14 & 23. I. J. M. R. 1 W.
40.00	Set the trap for support at the ar. dist. on the same line from which, Reck. 10 in dist. line. N. 77 E. 16 the dist. and a Reck. 8 " " " N. 6 E. 17 " "
80.00	Set the post on of Sur 14, 15, 23 & 22.
North	Between Sur 14 & 23. I. J. M. R. 1 W.
40.00	Set a trap for support from which, Reck. 12 in dist. line. N. 42 W. 4 the dist. to,

I. N. of A. R. N. of W. D. M. S. S. S.

80.00	Reck. 15 in dist. line. N. 28 E. 23 the dist. Set a post for the corner of Sur 10, 11, 14 & 15. From which, Reck. 6 in dist. line. N. 39 W. 19 the dist. to, Reck. 5 " " " N. 20 E. 15 " "
	Sande the same.
East	On a random line between Sur 11 & 14. I. J. M. R. 1 W.
40.00	Set a trap for support.
80.50	Intersect the N. E. line 78 links South of the post on of Sur 11, 12, 13 & 14. Sande the same.
West	On the same line between Sur 11 & 14. I. J. M. R. 1 W.
40.25	Set the trap for support at the ar. dist. on the same line from which, Reck. 3 in dist. line. N. 62 E. 5 the dist. and a Reck. 4 " " " N. 28 E. 10 " "
80.50	Set the corner of Sur 10, 11, 14 & 15.
North	Between Sur 10 & 11. I. J. M. R. 1 W.
44.30	Set a Reck. 15 in dist. on the line.
40.00	Set a trap for support from which, Reck. 4 in dist. line. N. 57 W. 20 the dist. to, N. Walnut, 10 " " " N. 3 E. 20 " "
80.00	Set a post for the corner of Sur 2, 3, 10 & 11 from which, Reck. 12 in dist. line. N. 41 E. 10 the dist. to, Reck. 5 " " " N. 27 E. 6 " "
	Sande the same.
East	On a random line between Sur 2 W. I. J. M. R. 1 W.
40.00	Set a trap for support.
80.00	Intersect the N. E. line 100 links South of the post on of Sur 1, 2, 11 & 12 Sande the same.
West	On the same line between Sur 2 W. I. J. M. R. 1 W.

T. N. of A. R. No 177 2nd Mer. Ind.

40,00	Set the trap for supt at the ar. dist. in the line from which, Buck 8 in air. here. N 67.11 the dist. under No. 44 " " N 9 E 20. "
80,00	Set the post on of ear 2, 3, 10 & 11.
North	Return on Jul 21 & 22 T. N. R. 177.
40,00	Set a trap supt from which, Buck 15 in air here. N 40 E 15 the dist. to No. 15 " " N 24 W 12. "
19,50	Set out the A. B. on Jul 23 58 links West of the post on of ear 34 & 35. T. N. R. 177 and set apart for the ear " 21.3 from which, N Oak 15 in air here. N 41 E 14 the dist. to Buck 15 " " N 76 W 24. " Sands and soil the same.
North	Return on Jul 33 & 34 T. N. R. 177.
17,00	To a Brook 100 links m. d., lower S. E.
40,00	Set a trap supt from which, Buck 12 in air here East 30 links dist. to E. m. 10 " " N 69 W 25. "
80,00	Set apart for the ear of ear 27, 28, 33 & 34 from which, Buck 12 in air here. N 51 E 14 the dist. to No. 8 " " N 44 E 23. " Sands rolling. Timber Buck, Oak, & Hickory.
East	On a Random line between Jul 27 & 34 T. N. R. 177.
31,00	To a Brook 20 links m. d., lower S. E.
40,00	Set a trap supt for supt.
80,00	Set out the A. B. line 57 links, North of the post on of ear 26, 27, 34 & 35. Sands the same.
West	On the line between Jul 27 & 34 T. N. R. 177.

T. N. of A. R. No 177 2nd Mer. Ind.

40,00	Set the trap for supt at the ar. dist. in the line from which, Maple 10 in air here. N 44 E 24 the dist. under No. 12 " " N 77 W 14. "
80,00	Set the post on of ear 27, 28, 33 & 34.
North	Return on Jul 27 & 28 T. N. R. 177.
24,00	To a Brook 100 links m. d., lower S. E.
40,00	Set a trap supt from which, Buck 6 in air here. N 26 E 6 links dist. to No. 10 " " N 36 W 8. "
54,00	To a Brook 150 links m. d., lower W.
80,00	Set apart for the ear of ear 21, 22, 27 & 28 from which, Buck 8 in air here. N 7 E 25 links dist. to Hickory 10 " " N 87 W 24. " Sands rich and level, Timber Buck, Oak, & Hickory.
East	On a Random line between Jul 22 & 27 T. N. R. 177.
36,50	To a Brook 10 links m. d., lower S.
40,00	Set a trap for supt.
46,00	To a Brook 10 links m. d., lower S. E.
53,00	" " No. 10 " " S. W.
80,00	Set out the A. B. line 24 links, North of the post on of ear 22, 23, 26 & 27. Sands the same.
West	On the line between Jul 22 & 27 T. N. R. 177.
40,00	Set the trap for supt at the ar. dist. in the line from which, Buck 25 in air here. N 18 E 30 the dist. under No. 15 " " N 74 W 11. "
80,00	Set the post on of ear 21, 22, 27 & 28.
North	Return on Jul 21 & 22 T. N. R. 177.
40,00	Set a trap supt from which, Buck 12 in air here. N 32 E 9 links dist. to

T. N. of N. R. No 177 Quad. Mer. Ind.

80,000 Reuk. 5 in dist. from S 57.7 W. 1/2 dist. of
Set a post for the corner of sec. 15. 16. 21 & 22 from which,
Reuk. 10 in dist. from S 87 E. 15 the dist. to,
Do. 15 " " " S 79 W. 12 " "
Sandrolling Birch Timber Oak Oak & Poplar &
Walnut,

East On a Random line between Sec. 15 & 22 T. 7. N. R. 17.
40,00 Set a temporary support.
79.86 Intersect the N 18 line at the post corner of sec. 14. 15 & 22 & 23.
Land the same.

West On the true line between Sec. 15 & 22 T. 7. N. R. 17.
39.93 Set the temporary support at the ar. dist. on the true line
from which, Poplar 100 in dist. from S 49 W. 12 the dist.
Made a Sugar 20 " " " N 62 E. 18 " "
79.86 To the post corner of sec. 15. 16. 21 & 22.

North Between Sec. 15 & 16 T. 7. N. R. 17.
40,00 Set a temporary support from which,
Sugar 7 in dist. from S 56 E. 11 the dist. to,
Do. 10 " " " S 86 W. 17 " "
80,00 Set a post for the corner of sec. 9. 10. 15 & 16 from which,
Reuk. 12 in dist. from S 40 W. 14 the dist. to,
Sugar 8 " " " N 46 E. 14 " "
Sandrolling Birch Oak & Hick. Sugar, Ash &

East On a Random line between Sec. 10 & 15 T. 7. N. R. 17.
40,00 Set a temporary support.
73.00 To a Brook 4 miles near, Source of
80,00 Intersect the N 18 line 18 miles South of the post corner
of sec. 10. 11. 14 & 15. Land the same.

T. N. of N. R. No 177 Quad. Mer. Ind.

West On the true line between Sec. 10 & 15 T. 7. N. R. 17.
40,00 Set the temporary support at the ar. dist. on the true line from
which, Reuk. 20 in dist. from S 40 W. 18 the dist. to,
Sugar 8 " " " S 8 E. 11 " "
80,00 To the post corner of sec. 9. 10. 15 & 16.

North Between Sec. 9 & 10 T. 7. N. R. 17.
40,00 Set a temporary support from which,
Sugar 10 in dist. from S 18 E. 10 the dist. to,
Logwood 34 " " " S 57 E. 9 " "
62,00 To a Brook 10 miles near, Source of
80,00 Set a post for the corner of sec. 3. 4. 9 & 10 from which,
Reuk. 4 in dist. from S 44 E. 12 the dist. to,
Walnut 6 " " " West 35 " "
Land the same.

East On a Random line between Sec. 3 & 10 T. 7. N. R. 17.
40,00 Set a temporary support.
80.18 Intersect the N 18 line 25 miles South of the post corner of
Sec. 2 & 3 10 & 11. Land the same.

West On the true line between Sec. 3 & 10 T. 7. N. R. 17.
40.09 Set the temporary support at the ar. dist. on the true line
from which, Reuk. 3 in dist. from S 45 E. 13 the dist.
and a Do 18 " " " N 63 W. 21 " "
80.18 To the post corner of sec. 3. 4. 9 & 10.

North Between Sec. 3 & 4 T. 7. N. R. 17.
40,00 Set a temporary support from which,
Oak 20 in dist. from S 10 E. 25 the dist. to,
Reuk. 5 " " " S 30 W. 4 " "
79.94 Intersect the N 18 line 18 miles West of the post corner of
Sec. 3. 3. 3. 4. T. 8. N. R. 17 and set a post for the corner of

T. N. of A. R. No 1 N 2nd Mer. Ind.

Set 3421. From which,
Beck. 8 in dist. from N 1/2 E. 20 lms. dist. to,
Do. 20 " " S 8 E. 27 " "
Land the same.

North	Between Sur 32133 T. N. R. 1 N.
6.00	To spring 8 lms. n.e., Corner E.
20.00	" " 20 " " " " E.
40.00	Set a 70 support from which, Ath. 20 in dist. from N 3/4 E. 8 lms. dist. to, Beck. 6 " " " N 17 N. 20 " "
113.50	To a Brook. 15 lms. n.e., Corner N. E.
80.00	Set a post for the cor. of sur. 28, 29, 32 & 33 from which, Beck. 12 in dist. from N 40 E. 14 lms. dist. to, Do. 18 " " " N 52 E. 42 " " Land rolling and not Timber Sugar, Ash & Beck.
East	On a Random line between Sur 28 & 33 T. N. R. 1 N.
12.00	To a Brook. 100 lms. n.e., Corner S.
30.00	" " the N. E. end of the same.
40.00	Set a trip. 70 support.
80.00	Intersect the N. E. line 70 lms. South of the post. cor. of Sur. 27, 28, 33 & 34 Land the same.
West	Between Sur 28 & 33 T. N. R. 1 N. Same line.
40.00	Set the trip. 70 support. at the ar. dist. on the line from from which, N. E. 20 in dist. from N 57 N. 13 lms. dist. and a Do. 24 " " " N 72 E. 12 " "
80.00	To the post cor. of sur. 28, 29, 32 & 33.
North	Between Sur 28 & 29 T. N. R. 1 N.
40.00	Set a 70 support from which, A Beck. 4 in dist. N. e. to the cor. of 70 lms.

T. N. of A. R. No 1 N 2nd Mer. Ind.

55.00	To a Brook. 100 lms. n.e., Corner E.
65.00	To the East End of the same.
80.00	Set a post for the cor. of sur. 20, 21, 28 & 29 from which, Sugar. — in dist. from N 1/2 E. 21 lms. dist. to, Sum. road 4 " " " N 68 N. 4 " " Land the same.
East	On a Random line between Sur 21 & 28 T. N. R. 1 N.
6.50	To a Brook. 12 lms. n.e., Corner S. E.
40.00	Set a trip. 70 support.
80.10	Intersect the N. E. line at the post cor. of sur. 21, 22, 27 & 28 Land the same.
West	On the same line between Sur 21 & 28 T. N. R. 1 N.
40.65	Set the trip. 70 support at the ar. dist. on the line from which, Sugar. 8 in dist. from N 1/2 E. 21 lms. dist. to, Do. 8 " " " N 12 E. 21 " "
80.10	To the post cor. of sur. 20, 21, 28 & 29.
North	Between Sur 20 & 21 T. N. R. 1 N.
40.00	Set a 70 support from which, Eth. 18 in dist. from N 14 N. 26 lms. dist. to, Beck. 8 " " " N 26 N. 19 " "
69.50	To a Brook. 10 lms. n.e., Corner E.
80.00	Set a post for the cor. of sur. 16, 17, 20 & 21 from which, Beck. 20 in dist. from N 18 E. 12 lms. dist. to, Sugar. 4 " " " N 20 N. 6 " " Land the same.
East	On a Random line between Sur 16 & 21 T. N. R. 1 N.
32.00	To a Brook. 20 lms. n.e., Corner S. N.
40.00	Set a trip. 70 support.
80.10	Intersect the N. E. line at the post cor. of sur. 16, 16, 21 & 22.

I. N. of N. R. No 177 2nd Mer. Sud 5

Same the same.

West On the line between Sur. 16 & 21. T. J. N. R. 177.
40.06 Set the trip for support at the ar. dist. on the line
from which, Sugar 10 in air. time. N 20 E. 22 the dist.
and a w. No. 5 " " N 33 E. 21 " "
80.12 To the post on of sur. 16. 17. 20 & 21.

North Between Sur. 16 & 17. T. J. N. R. 177.
40.00 Set a post for support from which,
Beck 5 in air. time. N 29 E. 19 the dist; to
No. 4 " " " N 81 E. 20 " "
51.00 To a Brook 5 km. n. w. corner C.
80.00 Set a post for the crop. 8. 9. 16 & 17. from which,
Beck 30 in air. time. East 3 km. dist; to
Sugar 8 " " " N 40 W. 28 " "
Same the same.

East On a Random line between Sur. 9 & 16. T. J. N. R. 177.
4.00 To a Brook 6 km. n. w. corner C.
40.00 Set a trip for support.
60.00 To a Brook 10 km. n. w. corner C.
79.20 Enter at the N. B. line. 44 km. North of the post.
crop. 9. 10. 15 W. Same the same.

West On the line between Sur. 9 & 16. T. J. N. R. 177.
39.60 Set the trip for support at the ar. dist. on the line
from which, Sugar 6 in air. time. N 13 E. 17 the dist;
and a w. corner C. 5 " " " N 4 W. 14 " "
79.20 To the post on of sur. 8. 9. 16 & 17.

North Between Sur. 8 & 9. T. J. N. R. 177.
40.00 Set a post for support from which,

I. N. of N. R. No 177 2nd Mer. Sud 5

Beck 30 in air. time. N 36 W. 26 the dist; to
No. 10 " " " N 42 E. 25 " "
80.00 Set a post for the crop. 4. 5. 8 & 9 from which,
Sugar 18 in air. time. N 8 E. 13 the dist; to
Beck 20 " " " N 79 W. 26 " "
Same the same.

East On a Random line between Sur. 4 & 9. T. J. N. R. 177.
40.00 Set a trip for support.
60.00 To a Brook 10 km. n. w. corner C.
79.28 Enter at the N. B. line at the post on of sur. 3. 4 & 9
Same the same.

West On the line between Sur. 4 & 9. T. J. N. R. 177.
39.64 Set the trip for support at the ar. dist. on the line
from which, Sugar 15 in air. time. N 5 E. 17 the dist.
and a w. No. 12 " " " N 4 E. 24 " "
79.28 To the post on of sur. 4. 5. 8 & 9.

North Between Sur. 4 & 5. T. J. N. R. 177.
11.00 To a P. plan. 20 in air. on the line.
40.00 Set a post for support from which,
Beck 120 in air. time. N 46 E. 6 km. dist; to
No. 4 " " " N 46 E. 18 " "
64.00 To a Brook 10 km. n. w. corner W.
80.22 Enter at the N. B. line. 33 km. East of the post on
Sur. 3. 2. 1. 3. T. J. N. R. 177 and set a post for the crop
" 4 & 5 from which,
Beck 15 in air. time. N 79 W. 28 the dist; to
Beck 20 " " " N 34 E. 10 " "
Same & Set the same.

North Between Sur. 3 & 4. T. J. N. R. 177.

I. N. of N. R. N. 1 N. 2nd Mer. Sud.

Same as the same.

West On the line between Sur 16 & 21. I. N. R. 1 N.
40.00 Set the trip post at the ar. dist. on the line
from which, Sugar 10 in dir. line. N 20 E. 22 lbs dist.
and a Do. 5 " " N 33 E 21 " "
80.12 To the post on of sur. 16. 17. 20 & 21.

North Between Sur 16 & 17. I. N. R. 1 N.
40.00 Set a post from which,
Beck 1.5 in dir. line. S 29 E. 19 lbs dist; Va
Do. 4 " " " N 81 E. 20 " "
51.00 To a Brook 3 lbs m. L. corner E.
80.00 Set a post on the line of sur. 8. 9. 16 & 17. from which,
Beck 30 in dir. line. East 3 lbs dist; Va
Sugar 8 " " " N 40 W. 28 " "
Same as the same.

East On a Random line between Sur 9 & 16. I. N. R. 1 N.
4.00 To a Brook 6 lbs m. L. corner E.
40.00 Set a trip post.
66.00 To a Brook 10 lbs m. L. corner S.
79.20 Set out the N. B. line, 44 lbs m. L. of the post.
on of sur. 9. 10. 15 N. Same as the same.

West On the line between Sur 9 & 16. I. N. R. 1 N.
39.60 Set the trip post at the ar. dist. on the line
from which, Sugar 6 in dir. line. N 13 E. 17 lbs dist;
and a ash wood 5 " " " N 4 W. 14 " "
79.20 To the post on of sur. 8. 9. 16 & 17.

North Between Sur 8 & 9. I. N. R. 1 N.
40.00 Set a post from which,

I. N. of N. R. N. 1 N. 2nd Mer. Sud.

Beck 30 in dir. line. N 36 W. 26 lbs dist; Va,
Do 10 " " " N 42 E. 25 " "
80.00 Set a post from the corner of 4. 5. 8 & 9 from which,
Sugar 18 in dir. line. N 8 E. 13 lbs dist; Va,
Beck 20 " " " N 49 W. 26 " "
Same as the same.

East On a Random line between Sur 4 & 9. I. N. R. 1 N.
40.00 Set a trip post.
60.00 To a Brook 10 lbs m. L. corner S.
79.20 Set out the N. B. line at the post on of sur. 3. 4. 9 m.
Same as the same.

West On the line between Sur 4 & 9. I. N. R. 1 N.
39.60 Set the trip post at the ar. dist. on the line
from which, Sugar 15 in dir. line. S 45 E. 17 lbs dist;
and a Do. 12 " " " S 4 E. 24 " "
79.20 To the post on of sur. 4. 5. 8 & 9.

North Between Sur 4 & 5. I. N. R. 1 N.
11.00 To a Poplar 20 in dir. on the line.
40.00 Set a post from which,
Beck 120 in dir. line. N 46 E. 6 lbs dist; Va
Do 4 " " " N 4 E. 18 " "
64.00 To a Brook 10 lbs m. L. corner W.
80.20 Set out the N. B. line at 33 lbs East of the post on
Sur 3. 2. 3. I. N. R. 1 N. and set a post from the corner
" 4 & 5 from which,
Beck 15 in dir. line. N 19 W. 28 lbs dist; Va,
Beck 120 " " " N 34 E. 10 " "
Same as the same.

North Between Sur 3 & 4. I. N. R. 1 N.

T. N. J. N. R. N. 177 quad Mm. Sud.

49.00	Set a 1/4 suppost from which, Buck 10 in dia. beam S39E 21 links dist. to, Lo. 12 " " S48W 27 " "
48.00	To a Brook 20 links mid, corner N.E.
80.00	Set a post for the corner 29.30.31 & 32 from which, Dogwood 4 in dia. beam. S44E 26 links dist. to, Oak 7 " " S49W 20 " " Sends the same.
East	On a Random line between Sur 29 & 30 T. J. N. R. 177.
40.00	Set a tripst 1/4 suppost
80.18	Intersect the N.E. line at the post. cor of Sur 28 & 29, 32 & 33. Sends the same.
West	On the True line between Sur 29 & 30 T. J. N. R. 177.
40.09	Set the tripst 1/4 suppost at the ar. dist. on the true line from which, Buck 10 in dia. beam. N 28E 28 links dist. to, under Lo. 4 " " S35E 22 " "
80.18	Set the post on of Sur 29.30.31 & 32
West	Between Sur 30 & 31 T. J. N. R. 177.
40.00	Set a tripst 1/4 suppost from which, Hick 18 in dia. beam. N 45W 23 links dist. to, Sugar 8 " " S35E 33 " "
84.85	Intersect the West Boundary 25 links South of the post cor of Sur 25 & 26. T. J. N. R. 277 and set a post for the " " 30 & 31 from which, Buck 8 in dia. beam. N 45E 53 links dist. to, Lo. 4 " " S47E 30 " " Sends the same.
North	Between Sur 29 & 30 T. J. N. R. 177.
40.00	Set a 1/4 suppost from which,

T. N. J. N. R. N. 177 quad Mm. Sud.

	Sugar 8 in dia. beam. S46W 17 links dist. to, Lo. 8 " " S47E 33 " "
80.00	Set a post for the corner 19.20.29 & 30 from which, Buck 15 in dia. beam. S39E 22 links dist. to, Lo. 25 " " S48E 31 " " Sends the same.
East	On a Random line between Sur 30 & 29 T. J. N. R. 177.
31.50	To a Brook 75 links mid, corner N.E.
37.50	" " Lo. 75 " " " N.E.
40.00	Set a tripst 1/4 suppost
40.50	To a Brook 75 links mid, corner N.E.
81.00	Intersect the N.E. line, 100 links South of the post cor of Sur 20.21.28 & 29. Sends the same.
West	On the True line between Sur 30 & 29 T. J. N. R. 177.
40.50	Set the tripst 1/4 suppost at the ar. dist. on the true line from which, This corner could not be established
81.00	To the post cor of Sur 19.20.29. & 30
West	Between Sur 19 & 20 T. J. N. R. 177.
12.00	To a Brook 16 links mid, corner N.E.
40.00	Set a 1/4 suppost from which, Buck 8 in dia. beam. N 4E 34 links dist. to, Lo. 10 " " S35W 11 " "
62.00	To a Brook 12 links mid, corner N.E.
84.74	Intersect the West Boundary 164 links South of the post cor of Sur 24 & 25 T. J. N. R. 277 and set a post for the corner 19 & 20 from which, A Hick 14 in dia. beam. Sends for the corner of Sur 19 & 20 Sends the same.
North	Between Sur 19 & 20 T. J. N. R. 177

T. N. of A. R. N. 1772nd Mrs. Sud.

29.00	Log Brook 80 links mid, lower N.E.
40.00	Set a 1/2 supst from which, Hagberry 12 in dist. bears. N 40 W. 14 the dist. to Sugar. 15 " " " N 40 E 26 " "
80.00	Set a post further on of 17.18.19 & 20 from which, Beck 15 in dist. bears. N 43 E 11 links dist. to, Do. 10 " " " N 63 W. 15 " " Same as the same.
East	On a R. on same line between Sur. 17 & 20 T. J. N. R. 17.
27.00	Log Brook 12 links mid, lower S.W.
40.00	Set a temp. 1/2 supst.
80.40	Set out the N & S line 22 links North of the post on of 16.17.20 & 21. Same as the same.
West	On the same line between Sur. 17 & 20 T. J. N. R. 17.
40.20	Set the temp. 1/2 supst at the ar. dist. on the same line from which, Beck 10 in dist. bears. N 26 E. 5 links dist. to, Do. 5 " " " N 19 W. 9 " "
80.40	Set the post on of 16.18.19 & 20
West	Between Sur. 18 & 19 T. J. N. R. 17.
30.50	Log Brook 12 links mid, lower S.W.
40.00	Set a 1/2 supst from which, Hagberry 12 in dist. bears. N 32 E. 40 the dist. to, Sugar. 5 " " " N 20 E 30 " "
40.03	Log Brook 45 links mid, lower S.E.
52.50	" " Do. 75 " " " " N.W.
79.00	" " Do. 75 " " " " S.E.
85.00	Set out the West Branch at 250 links South of the post on of 16.18.19 & 20 T. J. N. R. 27 and set a post for the " " 18 & 19 from which, Beck 4 in dist. bears. N 54 W. 4 links dist. to,

T. N. of A. R. N. 1772nd Mrs. Sud.

	Beck 4 in dist. bears. N 42 E. 8 links dist. to, Same as the same.
North	Between Sur. 17 & 18 T. J. N. R. 17.
40.00	Set a 1/2 supst from which, Hagberry 24 in dist. bears. N 30 E 6 links dist. to, Beck 6 " " " N 68 W. 12 " "
80.00	Set a post further on of 17.18.19 & 20 from which, Beck 30 in dist. bears. South. 15 links dist. to, Do. 12 " " " N 43 W. 12 " " Same as rolling Timber Beck, Sugar & Poplar, Ash, &c.
East	On a R. on same line between Sur. 8 & 17 T. J. N. R. 17.
23.00	Log Brook 6 links mid, lower S.W.
40.00	Set a temp. 1/2 supst.
80.00	Set out the N & S line 12 links South of the post on of Sur. 8.9.16 & 17. Same as the same.
West	On the same line between Sur. 8 & 17 T. J. N. R. 17.
40.00	Set the temp. 1/2 supst at the ar. dist. on the same line from which, Beck 12 in dist. bears. N 64 E 4 links dist. under Do. 4 " " " N 28 E. 5 " "
80.00	Set the post on of 17.18.19 & 20.
West	Between Sur. 7 & 18 T. J. N. R. 17.
23.00	Log Brook 24 links mid, lower S.W.
40.00	Set a 1/2 supst from which, Sugar. 10 in dist. bears. N 36 E 3 links dist. to, Do. 9 " " " N 37 W. 35 " "
81.00	Log Brook 100 links mid, lower S.
83.43	Set out the West Branch at 385 links South of the post on of 17.18.19 T. J. N. R. 27 and set a post for the " " 17 & 18 from which, Sugar. 12 in dist. bears. N 36 E 36 links dist. to,

J. N. of A. R. No. 1772nd Mr. Ind.

~~Blackberry 12 in diam. bear. S 80 W 20 limbs east, fa,
Lund do the same.~~

North	Return Jul 7th J. N. R. 177.
18.00	To a Poplar. 36 in diam. in the line.
40.00	Set a 70 support from which, Buck 7 in diam. bear. S 13 E 44 limbs east, fa, Lo 6 4 " " N 24 W 22 " "
46.00	To a Brook. 10 limbs mid, course W.
80.00	Set a post. further crop. S. 6. 7. 48 from which, Buck 18 in diam. bear. South 8 limbs east, fa, Sugar 12 " " S 8 E. 43 " " Lund do the same.
East	On a Random line between Jul 5th & 8th J. N. R. 177.
33.00	To a Brook 10 limbs mid, course S. W.
40.00	Set a timber 70 support.
79.16	Intersect the N. S. line. 33 limbs South of the post crop Jul. 4. 5. 8 & 9. Lund do the same.
West	On the line between Jul 5th & 8th J. N. R. 177.
39.38	Set the timber 70 support at the ar. dist. on the line from from which, Poplar 10 in diam. bear. N 17 W 10 limbs east, under a Sugar 5 " " N 15 E 9 " "
79.16	To the post crop. S. 6. 7. 48.
West	Return Jul 6th J. N. R. 177.
40.00	Set a 70 support from which, Sugar 10 in diam. bear. N 36 E 3 limbs east, fa, Lo 9 " " S 37 W 35 " "
81.00	To a Brook 100 limbs mid, course S.
83.143	Intersect the West Bound 385 limbs South of the post crop. S. 1412 J. N. R. 177 and set a post for the crop

J. N. of A. R. No. 1772nd Mr. Ind.

Jul 5th from which,

Sycamore. 21 in diam. bear. East 19 limbs east, fa,
Cedar 12 " " " S 5 E 31 " "
Lund do the same.

West	Return Jul 7th J. N. R. 177.
23.00	To a Brook 8 limbs mid, course S.
40.00	Set a 70 support. from which, N. Walnut. 36 in diam. bear. N 24 E 29 limbs east, fa, Ash 18 " " " " S 35 W 19 " "
83.40	Intersect the West Bound 439 limbs South of the post crop. S. 1313 J. N. R. 177 and set a post further " " " " J. N. R. 177 from which, Sugar 12 in diam. bear. N 36 E 36 limbs east, fa, Blackberry 12 " " S 80 W 20 " " Lund do the same.

North	Return Jul 5th J. N. R. 177.
40.00	Set a 70 support from which, Buck 8 in diam. bear. S 27 E 24 limbs east, fa, Sugar 5 " " " N 33 W 11 " "
44.00	To a Brook. 21 limbs mid, course W.
67.00	" " 20. 10 " " " " "
80.34	Intersect the N. Bound 145 limbs East of the post crop. S. 3113 J. N. R. 177 and set a post further crop " 5th from which, Sugar 12 in diam. bear. N 66 W 20 limbs east, fa, Dogwood 5 " " " S 4 W 20 " " Lund do the same.

Surv. by
Arthur Henry,
Dep't Surv.

Compd

T. N. of N. R. N. 1st 2nd Mer. Ind. a.

I certify that the foregoing Transcript of the
field notes of T. N. of N. R. N. 1st 2nd Mer. in
Ind. has been compared with the original
notes in this Office and found to be correct.
Surveyor General's Office
Cincinnati, Oct. 15/1841 S.

Sur General.

Township N. 8. South of Range N. 1 West of the 2nd Mer. Indiana

South Boundary. April 2^d 1841.

West. On the South Boundary of Sec. 36 T. 8. N. R. 1 W.
From the cor. of T. 8. N. R. 1 E. 1 W.

40.00 Set a post from which
W. Oak 10 in diam. bears N. 37 W. 30 links dist. to,
Lp. 18 " " N. 83 E. 19 " "

112.00 To a Brook. 8 links wide, course S. E.

80.00 Set a post from the cor. of sec. 35 & 36. From which,
Stick 3 in diam. bears N. 2 E. 3 links dist. to,
W. Oak 20 " " N. 32 W. 18 " "
Poor Hilley Oak Land.

West. On the South Boundary of Sec. 35 T. 8. N. R. 1 W.

39.00 To a Brook 25 links wide, course S.

40.00 Set a post from which,
Buttress 6 in diam. bears N. 58 W. 10 links dist. to,
W. Birch 3 " " S. 59 E. 14 " "

80.00 Set a post from the cor. of sec. 34 & 35. From which,
Birch 5 in diam. bears N. 12 W. 11 links dist. to,
Stick 11 " " S. 4 E. 21 " "
Middleling good land. Timber Birch.

West. On the South Boundary of Sec. 34 T. 8. N. R. 1 W.

13.50 To a Brook. 8 links wide, course N. E.

40.00 Set a post from which,
Sugar 14 in diam. bears N. 31 E. 10 links dist. to,
Birch 4 " " S. 45 W. 25 " "

80.00 Set a post from the cor. of sec. 33 & 34. From which,
Sugar 18 in diam. bears N. 35 W. 27 links dist. to,
Birch 10 " " S. 8 E. 5 " "
Land same as last mile.

West. On the South Boundary of Sec. 33 T. 8. N. R. 1 W.